

PMC WATER SYSTEMS SERVICES INC. 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL info@pmcwatersystems.com, www.pmcwatersystems.com

SAFETY DATA SHEET B-3005-D



SECTION 1 - MATERIAL IDENTIFICATION AND USE

Manufacturer's Name : PMC Water Systems Services Inc.

Manufacturer's Address : 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7

Manufacture's Phone # : (905) 669-8262

24 Emergency Phone # : Canutec (613) 996-6666

Product Identifier : B-3005-D

Product Use : Boiler Water Treatment

SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

Ingredients	Concentration	CAS#	LD_{50}	LC_{50}
Sodium Molybdate	5-15%	10102-40-6	520 mg/kg (oral - rat)	No Data Available
Sodium Hydroxide	1-5%	1310-73-2	800 mg/kg (oral – rat)	No Data Available
Morpholine	1-5%	110-91-8	1250 mg/kg (oral – rat)	No Data Available

SECTION 3 – HAZARDS IDENTIFICATION

Hazard Statement

Harmful if swallowed, in contact with skin or if inhaled. Causes skin and eye irritation. Causes serious eye irritation.

Precautionary Statement Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection face protection. Wash thoroughly after handling. Avoid release to the environment. Dispose of contents container in accordance with local, regional, national, and/or international regulations. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed: Call a Poison Center/doctor if you feel unwell. Rinse mouth. Avoid breathing dust/fume/gas/mist/vapours/spray. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a Poison Center/doctor if you feel unwell. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse.

SECTION 4 – FIRST AID MEASURES

Eye Contact Wash eyes with plenty of water for at least 15 minutes, holding eyelids open. Seek medical attention

immediately after flushing.

Skin Contact Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and do not

reuse until thoroughly cleaned or laundered. Get medical attention.

Inhalation Remove victim to fresh air. If breathing stops, administer artificial respiration and seek medical aid promptly. If

breathing is difficult, get immediate medical attention.

IngestionDo not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Give plenty of water to dilute product. If vomiting occurs, keep victim's head below hips to prevent inhalation of vomited

material. Seek medical help immediately!

Notes to Physician

NOTE: Inadvertent inhalation of vomited material may seriously damage the lungs. The risk and danger of this is greater than the risk of poisoning through absorption of this product. Moreover, this product can damage the esophagus on the way down and will cause further damage in the reverse direction! The stomach should be

emptied under medical supervision after the installation of an airway to protect the lungs.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability Not Flammable Flash Point Not Applicable Autoignition Not Available

Temperature

Extinguishing media Use extinguishing media appropriate for surrounding fire. Water is not recommended but may be applied in

large quantities as a fine spray when other extinguishing agents are not available.

Special Firefighting Procedures/Equipment Evacuate nonessential personnel from fire area. Product reacts with water, possibly violently, which may produce heat and/or gases. Fire fighters must wear full face, positive pressure, self-contained breathing

apparatus and appropriate protective clothing.

Explosion Data Not Applicable

Hazardous Combustion

Products

Sodium oxide, peroxides, carbonates may form in fire. Toxic fumes. Metal oxide fumes.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions

Safety eye googles. Wear protective clothing and equipment.

Environment Precautions Do not contaminate surface water.

Isolate hazard are and restrict access. Stop leak if without risk. Ventilate spill area if possible. Small Spills: **Spill Response/Cleanup**

soak up spill with absorbent material. Place residues in a suitable, covered container. Wash affected area. For

larger spills, reclaim into recovery or salvage drum or tanker truck for proper disposal.

SECTION 7 – HANDLING AND STORAGE

Handling Corrosive material. Avoid contact with eyes, skin and clothing. Do not ingest. Use with adequate ventilation

Do not inhale vapour or mist. Use appropriate personal protective equipment. Handle in accordance with good industrial hygiene and safety practices. Do not mix with acids. Keep containers closed when not in use. Empty

product containers may contain residue. Follow label warnings even after container is emptied.

Storage Requirements

Store in a cool, dry, well-ventilated. Store in original tightly closed container. Store separately from acids.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Good general ventilation should be sufficient for most conditions.

Respiratory Protection Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required

for certain operations, use a NIOSH approved air-purifying respirator.

Neoprene, nitrile, PVC, butyl or rubber gloves. Impervious safety boots. **Skin Protection**

Eye/Face Protection Chemical safety googles; face shield.

An eyewash station and safety shower should be available **Other Comments**

Ingredients	Exposure Limit - ACGIH	Exposure Limit - OSHA	Immediately Dangerous to Life or Health - IDLH
Sodium Hydroxide	2 mg/m ³ Ceiling	2 mg/m ³ Ceiling	10 mg/m^3
Sodium Molybdate	5 mg/m ³ TWA	5 mg/m ³ TWA	Not Available
Morpholine	20 ppm TWA	70 mg/m ³ TWA	1400 ppm

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Odour and Appearance Slight sweet odour; amber liquid

Odour Threshold Not Available **Specific Gravity (Water = 1)** 1.07 g/cc

Vapour Pressure (mmHg) No Data Available Vapour Density (Air = 1)No Data Available **Evaporation Rate** No Data Available **Boiling Point** No Data Available -2° C, 28.4° F **Freezing/Melting Point** 13 - 14:

Coefficient Water/Oil Distribution : Not Applicable **Solubility in Water** No Data Available

SECTION 10 – STABILITY AND REACTIVITY

Stability/Reactivity Stable under normal conditions **Conditions for Avoid** Freezing temperatures.

Incompatible Materials Contact with strong acids (eg sulphuric, phosphoric, nitric, hydrochloric, chromic, sulphonic) may

generate heat, splattering or boiling and toxic vapours.

Hazardous Decomposition

Products

Oxides of carbon, nitrogen, phosphorus.

Hazardous Polymerization Hazardous polymerization will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Eves, skin. **Routes of Entry**

Skin Contact Brief contact may cause skin burns and irritation.

Eye Contact Corrosive. Will cause eye burns and permanent tissue damage.

Ingestion Can cause burns to mouth, esophagus and stomach.

Inhalation Can cause damage to upper respiratory tract and lung tissue.

Chronic Exposure Effects No identifiable symptoms from exposure not previously mentioned.

Irritancy Not Available **Sensitization** Not Available Carcinogenicity Not Available **Teratogenicity** Not Available Mutagenicity Not Available **Reproductive Effects** Not Available

SECTION 12 – ECOLOGICAL INFORMATION

General Comments Toxic to aquatic life. May increase pH of waterways and adversely affect aquatic life.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Dispose in accordance with federal, provincial or local government requirements. Contact your local,

provincial or federal environmental agency for specific regulations.

SECTION 14 – TRANSPORT INFORMATION

TDG Shipping Regulations UN 1824, Corrosive Liquid, NOS (Sodium Hydroxide Solution), Class 8, PG III

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification Class D2B: Toxic Material

Class E: Corrosive Material

Domestic Substances List All ingredients are listed on the DSL or are not required to be listed.

SECTION 16 – OTHER INFORMATION

Prepared by: Lab Services

> PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord Ontario L4K 1L7

Preparation Date: June 21, 2018

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.