

PMC WATER SYSTEMS SERVICES INC. 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL info@pmcwatersytems.com, www.pmcwatersystems.com

SAFETY DATA SHEET C-2005



SECTION 1 – MATERIAL IDENTIFICATION AND USE

Manufacturer's Name PMC Water Systems Services Inc.

Manufacturer's Address 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7 :

Manufacture's Phone # (905) 669-8262

24 Emergency Phone # Canutec (613) 996-6666

Product Identifier C-2005

Product Use Water Treatment

SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

LC50 Concentration CAS# LD50 **Ingredients** 1310-58-3 No Data Available 3-8% 800 mg/kg (oral - rat)Potassium Hydroxide

SECTION 3 – HAZARDS IDENTIFICATION

Harmful if swallowed, Harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes serious **Hazard Statement**

eye irritation. Harmful to aquatic life.

Precautionary Do not breathe dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Wear protective

Statement gloves/protective clothing/eye protection/face protection.

SECTION 4 – FIRST AID MEASURES

Wash eyes with plenty of water, holding eyelids open. Seek medical assistance promptly if there is any **Eye Contact**

irritation.

Skin Contact Wash with plenty of water. Remove contaminated clothing and do not reuse until thoroughly cleaned or

laundered.

Inhalation Remove victim to fresh air. If breathing stops, administer artificial respiration and seek medical aid promptly. If

breathing is difficult, get immediate medical attention.

Ingestion Give plenty of water to dilute product. Do not induce vomiting. Keep victim quiet. If vomiting occurs, keep

victim's head below hips to prevent inhalation of vomited material. Seek medical help immediately!

Notes to Physician NOTE: Inadvertent inhalation of vomited material may seriously damage the lungs. The risk and danger of this

is greater than the risk of poisoning through absorption of this product. Moreover, this product can damage the esophagus on the way down and will cause further damage in the reverse direction! The stomach should be

emptied under medical supervision after the installation of an airway to protect the lungs.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability Not Flammable **Flash Point** Not Applicable Autoignition Not Applicable **Temperature**

Extinguishing media Does not burn. Use extinguishing media appropriate for surrounding fire. Water is not recommended, but may be applied in large quantities as a fine spray when other extinguishing agents are not available.

Special Firefighting Evacuate nonessential personnel from fire area. Product reacts with water, possibly violently. Reaction may **Procedures/Equipment** produce heat and/or gases. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Contact with some metals (particularly magnesium, aluminum and galvanized zinc) can rapidly generate hydrogen. Fire fighters must wear full face, positive pressure, self-contained breathing apparatus and appropriate protective clothing.

Explosion Data Not Applicable

Hazardous Combustion Potassium oxide, peroxides, carbonates may form in fire

Products

NFPA Ratings Health 3, Flammability 0, Instability 0 HMIS Ratings: Health 3, Flammability 0, Reactivity 0

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions Safety eye googles. Wear protective clothing and equipment.

Environment precautions Avoid discharge to natural waters and sewers.

Spill Response/Cleanup Isolate hazard are and restrict access. Stop leak if without risk. Dike and contain spill with inert material (sand,

earth, etc.) and transfer liquid and solid separately to containers for recovery or disposal. Neutralize with lime

or soda ash. Sweep or shovel material into waste container. Flush residue with water.

SECTION 7 – HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Do not ingest. Do not inhale vapour or mist. Use appropriate personal

protective equipment. Handle in accordance with good industrial hygiene and safety practices. Keep

containers closed when not in use. Never add water to this product.

Storage Requirements Store in a cool, dry, well-ventilated area, away from heat and ignition sources. Store in original tightly closed

container to prevent moisture absorption and/or contamination. Place away from incompatible materials such

as acids. Do no store above 23°C, 73°F.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Good general ventilation should be sufficient for most conditions.

Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required **Respiratory Protection**

for certain operations, use a NIOSH approved air-purifying respirator.

Skin Protection Polyethylene, neoprene or natural rubber gloves, impervious footwear, rubber safety boots.

Eye/Face Protection Chemical safety googles; face shield.

Other Comments An eyewash station and safety shower should be available

Ingredients	Exposure Limit - ACGIH	Exposure Limit - OSHA	Immediately Dangerous to Life or Health - IDLH
Potassium Hydroxide	2 mg/m ³ Ceiling	2 mg/m³ Ceiling	10 mg/m^3

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Odour and Appearance Odourless; colourless to slight yellow

Odour Threshold Not Available **Specific Gravity (Water = 1)** 1.05 to 1.10 g/cc Vapour Pressure (mmHg) Not Available Vapour Density (Air = 1)Not Available **Evaporation Rate** Not Available 100° C, 212° F **Boiling Point** Freezing/Melting Point -2° C, 28.4° F 7 - 8 pН

Coefficient Water/Oil Distribution Not Applicable **Solubility in Water** Soluble

SECTION 10 – STABILITY AND REACTIVITY

Stability/Reactivity Stable

Conditions for Instability Incompatible Materials

Incompatible Materials Highly reactive with acids. Slightly reactive to reactive with organic materials, metals.

Hazardous Decomposition Oxides of potassium

Products

Hazardous Polymerization Hazardous polymerization will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of Entry Eyes, skin, respiratory and digestive system Absorbed through skin. :

Skin Contact : Causes skin irritation with possible burns. Harmful if absorbed through skin.

Eye Contact : Causes eye irritation with possible burns.

Ingestion : Harmful if swallowed. Causes irritation of the digestive tract and mucous membranes with

Inhalation : possible burns.

Chronic Exposure Effects : Chronic inhalation exposure may lead to respiratory disorders, such as emphysema and chronic

bronchitis. Chronic skin contact may cause dermatitis.

Irritancy:IrritantSensitization:Not AvailableCarcinogenicity:Not AvailableTeratogenicity:Not AvailableMutagenicity:Not AvailableReproductive Effects:Not Available

SECTION 12 – ECOLOGICAL INFORMATION

General Comments Toxic to aquatic life.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Dispose in accordance with federal, provincial or local government requirements. Contact your local,

provincial or federal environmental agency for specific regulations.

SECTION 14 – TRANSPORT INFORMATION

TDG Shipping Regulations Not TDG Regulated

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification CLASS D2B: Toxic Material

Domestic Substances List All ingredients are listed on the DSL or are not required to be listed.

SECTION 16 – OTHER INFORMATION

Prepared by: Lab Services

PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord Ontario L4K 1L7

Preparation Date: May 9, 2018

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.