

PMC WATER SYSTEMS SERVICES INC.

124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL pmcwater@aol.com, www.pmcwatersystems.com

SAFETY DATA SHEET C-2009-P-FG



SECTION 1 – MATERIAL IDENTIFICATION AND USE

Manufacturer's Name	:	PMC Water Systems Services Inc.
Manufacturer's Address	:	124 Connie Crescent, Unit 9, Concord, ON L4K 1L7
Manufacture's Phone #	:	(905) 669-8262
24 Emergency Phone #	:	Canutec (613) 996-6666
Product Identifier	:	C-2009-P-FG
Product Use	:	Closed System Freeze Protectant

SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

Ingredients	Concentration	CAS #	LD ₅₀	LC50
Propylene Glycol (1,2-propanediol)	100%	57-55-6	21800mg/kg, oral - rat	No Data Available

SECTION 3 – HAZARDS IDENTIFICATION

Hazard Statement	Causes eye irritation. Causes mild skin irritation.
Precautionary	Keep out of reach of children. Wash thoroughly after handling. If in eyes – Rinse cautiously with water f
Statement	several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 4 – FIRST AID MEASURES

Eye Contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	Immediately flush skin with plenty of water. Immediately remove all contaminated clothing. Obtain medical
	attention if irritation develops and persists. Wash contaminated clothing before reuse.
Inhalation	Move victim to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial
	respiration. Seek immediate medical attention/advice if needed.
Ingestion	Seek immediate medical attention/advice. Do not induce vomiting. Drink one to two glasses of water. Never
	give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep
	victim's head lowered (forward) to reduce the risk of aspiration.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability	Container may explode in heat of fire.
Flash Point	231.8°F, 111.0°C Closed Cup
Autoignition	748°F, 397.78°C
Temperature	
Extinguishing media	Use alcohol resistant foam, water fog, dry chemical powder and carbon dioxide (CO2). Do not use water jet as an extinguisher; it will spread the fire.
Special Firefighting	Fire may produce irritating, corrosive and/or toxic gases. In case of fire and/or explosion, do not breathe
Procedures/Equipment	fumes. Firefighters must use standard protective equipment including flame retardant cola, helmet with face shield, gloves, rubber boots and, in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
Explosion Data	Not expected to be sensitive to mechanical impact or static discharge.
Hazardous Combustion	Carbon oxides. Other irritating fumes and smoke.
Products	

www.pmcwatersystems.com

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ventilate the contaminated area. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. For personal protection, see Section 8.

Spill Response/Cleanup

Environment precautions For large (industrial) releases, prevent spill from entering a waterway. Remove all sources of ignition and ventilate contaminated area. Stop leak if safe to do so. Dike the spilled material where possible. Use water spray to reduce vapours or divert vapour cloud drift. Absorb spilled liquid with non-combustible, inert absorbent material (eg sand). Prevent entry into waterways, sewer, basements or confined areas.

SECTION 7 – HANDLING AND STORAGE

Handling

Do not use in areas without adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces - no smoking. Protect material from direct sunlight. Wear appropriate personal protection. Avoid breathing mist or vapour. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage Requirements

Store in a closed container away from incompatible materials. Store in original tightly closed container. Keep in a cool, dry well-ventilated area out of direct sunlight.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Respiratory Protection	General ventilation (typically 10 air charges per hour) should be used. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure
	levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.
Skin Protection	Impervious gloves, apron and boots. Butyl rubber gloves are recommended.
Eye/Face Protection	Chemical splash google; full face shield may be necessary
Other Comments	Chemical resistant clothing and boots. An eyewash station and safety shower should be available

ACGIH Threshold Limit Values	Туре	Value	Form
Propylene Glycol	TWA	10mg/m ³	Aerosol

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State	:	Liquid
Odour and Appearance	:	Odourless; colourless or nearly colourless viscous liquid
Odour Threshold	:	Not Available
Specific Gravity (Water = 1)	:	1.04 at 25°C
Vapour Pressure (mmHg)	:	0.07 at 20°C
Vapour Density (Air = 1)	:	2.6
Evaporation Rate	:	Not Available
Boiling Point	:	370.76°F, 188.2°C
Freezing/Melting Point	:	-76°F60°C
pH	:	Not available
Solubility in Water	:	100% soluble

SECTION 10 – STABILITY AND REACTIVITY

Stability/Reactivity	Stable and non-reactive under normal conditions of use, storage and transport.
Conditions for Chemical Instability	Heat, open flame and direct sunlight. Avoid contact with incompatible materials.
Incompatible Materials	Strong oxidizing agents, pechloric acid, nitric acid, silver nitrate.
Hazardous Decomposition Products	None known refer to hazardous combustion products in Section 5. Carbon oxides may be released during a fire.
Hazardous Polymerization	Hazardous polymerization does not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of Entry Effects of Acute Exposure Skin Contact Eye Contact Ingestion	 Eyes, skin, respiratory and digestive system Harmful or fatal if swallowed Direct skin contact may cause slight or mild transient irritation. Direct contact may cause very mild, temporary irritation and redness. Harmful or fatal if swallowed.
Inhalation	: High concentrations of vapours or mists may cause coughing and mild, temporary irritation.
Chronic Exposure Effects Irritancy Sensitization Carcinogenicity Teratogenicity Mutagenicity Reproductive Effects	 Chronic skin contact with low concentrations may cause dermatitis. Direct skin contact may cause slight or mild transient irritation. Not expected to be a skin or respiratory sensitizer. Not considered to be a carcinogen by ACGIH, IARC, OSHA or NTP. Not expected to be a teratogen. Not expected to be mutagenic. Not expected to cause reproductive or developmental effects.

SECTION 12 – ECOLOGICAL INFORMATION

General Comments

This product should not be allowed to enter drains, water courses or the soil. High water solubility indicates a high mobility in soil.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste DisposalCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material
to drain into sewers/water suppliers. Dispose in accordance with federal, provincial or local government
requirements. Contact your local, provincial or federal environmental agency for specific regulations.

SECTION 14 – TRANSPORT INFORMATION

TDG Shipping Regulations Not TDG Regulated as dangerous goods

SECTION 15 – REGULATORY INFORMATION

WHMIS ClassificationNot WHMIS regulatedDomestic Substances ListAll ingredients are listed on the DSL or are not required to be listed.

SECTION 16 – OTHER INFORMATION

Prepared by:	Lab Services
	PMC Water Systems Services Inc.
	124 Connie Crescent, Unit 9
	Concord Ontario L4K 1L7
Preparation Date:	May 8, 2018

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.