

PMC WATER SYSTEMS SERVICES INC. 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL info@pmcwatersystems.com, www.pmcwatersystems.com

SAFETY DATA SHEET ULTRACLEAN C



SECTION 1 - MATERIAL IDENTIFICATION AND USE

Manufacturer's Name : PMC Water Systems Services Inc.

Manufacturer's Address : 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7

Manufacture's Phone # : (905) 669-8262

24 Emergency Phone # : Canutec (613) 996-6666

Product Identifier : UltraClean C
Product Use : Chemical Cleaner

SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

Ingredients Sodium Metasilicate	Concentration 7-15%	CAS # 6834-92-0	LD ₅₀ 600 mg/kg (oral – rat)	LC ₅₀ No Data Available
Potassium Hydroxide	7-15%	1310-58-3	365 mg/kg (oral – rat)	No Data Available
Sodium Hypochlorite	7-15%	7681-52-9	3-5 mg/kg (oral – rat)	No Data Available
Tetra Potassium Pyrophosphate	10-30%	7320-34-5	2444 mg/kg (oral – rat)	No Data Available

SECTION 3 – HAZARDS IDENTIFICATION

Hazard Statements Precautionary Statements Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.

Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapours/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. If swallowed: Rinse mouth. Do NOT induce vomiting. Call a Poison Center/doctor if you feel unwell. If on skin (or hair): immediately take off all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a Poison Center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Center/doctor. Store locked up. Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

SECTION 4 – FIRST AID MEASURES

Eye Contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash

clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Inhalation Move victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If the

victim is not breathing, perform mouth-to-mouth resuscitation. Get medical attention immediately.

Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an

Ingestion unconscious person. Loosen tight clothing. Get medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

Flammability Not Flammable
Flash Point None Known
Autoignition Temperature Not Available

Extinguishing Media Use DRY chemicals, CO2, alcohol foam or water spray.

Special Firefighting Procedures Fire fighters should wear full protective clothing, including self-contained breathing

equipment.

Hazardous Combustion Products Not Available

NFPA Ratings Health 3, Flammability 0, Instability 0
HMIS Ratings Health 3, Flammability 0, Reactivity 0

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Clean up Procedure Small Spill: Dilute with water and mop up or absorb with an inert dry material and place in an appropriate

waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid. Large Spill: Corrosive liquid. Poisonous liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray

curtain to divert vapor drift. Use water spray to reduce vapors.

Personal Precautions Wear appropriate breathing apparatus, protective clothing and equipment. **Environment Precautions** Prevent entry into sewers, basements or confined areas; dike if needed.

SECTION 7 – HANDLING AND STORAGE

Handling Keep container dry. Do not ingest. Do not breathe gas/fumes/vapor/spray. Never add water to this product. In

case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from

incompatibles such as acids.

Storage Requirements Keep container tightly closed. Store in a cool, well-ventilated area. Do not store above 23°C (73.4°F).

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Local exhaust ventilation as necessary to maintain exposures to within applicable limits.

Respiratory Protection In case of insufficient ventilation, wear suitable respiratory equipment.

Gloves Rubber gloves; vinyl gloves.

Skin Protection Prevent all skin contact. Avoid repeated or prolonged skin contact. Wear chemical protective clothing e.g.

gloves, aprons, boots.

Eye/Face Protection Wear chemical safety goggles and face shield.

General Hygiene An eyewash station and safety shower should be available. Immediately remove contaminated clothing to

minimize exposure.

Ingredients	Exposure Limit - ACGIH	Exposure Limit - OSHA	Immediately Dangerous to
			Life or Health - IDLH
Sodium Metasilicate	Not Available	Not Available	Not Available
Potassium Hydroxide	2mg/m ³ Ceiling (TLV)	2mg/m³ Ceiling	Not Available
Sodium Hypochlorite	2 mg/m ³ STEL	2 mg/m ³ PEL	Not Available
Tetra Potassium Pyrophosphate	Not Available	Not Available	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid

Odour and Appearance : Sweet odour; amber liquid

Odour Threshold : No odour Specific Gravity (Water = 1) : 1.13

Vapour Pressure (mmHg):No Data AvailableVapour Density (Air = 1):No Data AvailableEvaporation Rate:No Data AvailableBoiling Point:95°C; 203°FFreezing/Melting Point:No Data

pH : 11 - 12 Solubility : Complete

SECTION 10 – STABILITY AND REACTIVITY

Stability/Reactivity Stable

Conditions to Avoid Heat, high temperatures

Incompatible Materials Avoid strong oxidizers. Highly reactive with acids. Slightly reactive to reactive with

organic materials and metals.

Hazardous Decomposition Products Hazardous Polymerization Oxides of carbon. Will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Skin Contact : Causes severe skin irritation with possible burns. Harmful if absorbed through skin.

Eye Contact : Causes severe eye irritation with possible burns.

Ingestion : Harmful if swallowed. Causes irritation of the digestive tract and mucous

membranes with possible burns.

Inhalation : Causes irritation and possible burns of the respiratory and mucous membranes.

Chronic Exposure Effects: The substance may be toxic to upper respiratory tract, skin. Repeated or prolonged contact with spray mist may produce chronic eye irritation, severe skin irritation

and respiratory tract irritation leading to frequent attacks of bronchial infection.

Irritancy:Eye and skin irritant.Sensitization:Not Available.Carcinogenicity:Not Available.

Teratogenicity : Not Available.

Mutagenicity : Mutagenic for mammalian somatic cells. [Potassium hydroxide].

Reproductive Effects : Not Available.

SECTION 12 – ECOLOGICAL INFORMATION

Persistence and Degradability No information was located. Environmental fate is dependent upon pH, temperature, sunlight and

other factors.

Products of Biodegradation Possibly hazardous short term degradation products are not likely. However, long term degradation

products may arise.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose in accordance with federal, provincial or local government requirements. Reclaim as fertilizer if

possible. Empty containers should be recycled or disposed through an approved waste management

facility.

SECTION 14 – TRANSPORT INFORMATION

TDG Shipping Regulations UN 1760, Corrosive Liquid, Class 8, PG II

Domestic Substances ListAll ingredients are listed on the DSL or are not required to be listed.

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification Class D2B: Toxic Material

Class E: Corrosive Material

SECTION 16 – OTHER INFORMATION

Prepared by: Lab Services

PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord Ontario L4K 1L7

Preparation Date: November 14, 2018

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.